

Can I use directory paths in CALL names?

Author: Veryant Support

Saved From: <http://support.veryant.com/support/phpkb/question.php?ID=29>

Question:

My application source contains files that have the same name but are in different directories, e.g. dir1/progA.cbl, dir2/progA.cbl. I rely on the ability to specify paths in the CALL names in order to differentiate the programs, e.g. CALL "dir1/PROGA".

Can I do this with isCOBOL?

If so, then how?

Answer:

In order to specify paths in CALL names, you need to set `iscobol.code_prefix` to the list of directories where your COBOL programs are located. The directory paths must be separated by the "n" character sequence. For example,

```
iscobol.code_prefix=c:\myapp\lib1\classes;c:\myapp\lib2\classes
```

For a simpler example, if a program named TESTPROG does CALL "dir1/progA" and PROG.A.class is in a subdirectory named dir1, you could run TESTPROG with:

```
java -Discobol.code_prefix=. TESTPROG
```

To search for a program, the isCOBOL runtime framework first looks in the JAR files and directories listed in the class path. It then looks in the directories listed in `iscobol.code_prefix`.

Relative paths specified in CALL names are treated as relative to the directories listed in `iscobol.code_prefix`. The isCOBOL runtime framework appends the path from the CALL name to each value in `iscobol.code_prefix` to find the program.

When `iscobol.code_prefix` is set to `;'.'`; the isCOBOL runtime framework searches in the current working directory and treats paths in CALL names as relative to the current working directory.

If you need to specify absolute paths in CALL names then set `iscobol.code_prefix` to `;'/'`; on Unix or `;'c:'`; on Windows.

Here is some additional information:

The isCOBOL Compiler produces Java classes using the file names as class names. By default, the isCOBOL runtime framework searches for the classes (.class files) in jar files or directories that are listed in the class path. For example, with CALL "PROGA", the isCOBOL framework will attempt to create an instance of a class named PROG.A. The Java framework will search for PROG.A.class in all of the JAR files and directories that are listed in the class path (i.e. either in the CLASSPATH environment variable or the value specified with the `java -cp` command line option.)

In this case, CALL "dir1/progA" will fail because "dir1/progA" is not a valid class name.

However, if you specify `iscobol.code_prefix` then the isCOBOL runtime framework will use its own class loader and will use the value of `iscobol.code_prefix` as well as any path information in the CALL name to

load the class.