## Ability to copy a screen from one program to another, having a program with 2 screens designed and wanting to include those screens in another program.

Control Control   Control <th>0.0.0.4.1.6</th> <th>DIGECE4.</th> <th>7 G # 1 8 1 8 1 8 1 9 9 9 9 9 9 9 9 9 9 9 9 9</th> <th></th> <th>Oukt Acom</th>	0.0.0.4.1.6	DIGECE4.	7 G # 1 8 1 8 1 8 1 9 9 9 9 9 9 9 9 9 9 9 9 9		Oukt Acom
Improve         Improve <td< th=""><th>ef 2: File () Data () Control () Control () New Go Man Open in New Window Copy Factor Deltin Move Reame</th><th>Propert 11     Screen     Sc</th><th>Screen to be Imported</th><th><ul> <li>Paleta</li> <li>Paleta</li> <li>Componenti;</li> <li>Salectar</li> <li>Bornag</li> <li>Charl Born</li> <li>Combo Borc</li> <li>Onte Tony</li> <li>Entry Field</li> <li>Terror Field</li> <li>Terror</li> </ul></th><th>1 Section II Section I</th></td<>	ef 2: File () Data () Control () Control () New Go Man Open in New Window Copy Factor Deltin Move Reame	Propert 11     Screen     Sc	Screen to be Imported	<ul> <li>Paleta</li> <li>Paleta</li> <li>Componenti;</li> <li>Salectar</li> <li>Bornag</li> <li>Charl Born</li> <li>Combo Borc</li> <li>Onte Tony</li> <li>Entry Field</li> <li>Terror Field</li> <li>Terror</li> </ul>	1 Section II Section I
Charge Current Mode     Consign Current M				God God God God God God God God	Propertier 22 N > C + + + + + + + + + + + + + + + + + +
Train     Image: Note that the section of the section o	6. Change Current Mode Launch Eilbills	3		Containers	in name Texts path /Texts
3. Remove from Context Oct -URI -Skill -Skill -Skill -Skill -	Team Congare With Configure Properties	3 Working Sto Console	rege   🖨 Linkings Section   🏡 File Section   🔐 Rvent paragraph   2 💱 🛷 Search - 🔝 Backwelets - 🍣 Sake 🦸 History 💙 Eventing	, (SRien 1. 일 11 년 0 - 전	-
	II. Remove from Context Col	white a Shirth + Drawn			*

Right click the screen source project and select Export,

In the Export Window under isCOBOL folder select Screen Section and click Next,

P. Structural II Colline Collaboration	C propert 11				St Outline 11	p
Control      Control	Screen	Sylteon Select	۰× ک	Palette p     De Components co     De Salector	<ul> <li>✓ Testi</li> <li>✓ Toolbar int</li> <li>✓ Toolbar int</li> <li>✓ Toolbar int</li> <li>✓ Component int</li> <li>✓ Component int</li> </ul>	lw)
	Concisions	Select an export destinution: Type Film tent > @> General > @> incolor: # Project A: Android Application % Project A: Wandfoor Decubble % Project A: Wandfoor Decubble % Project A: Wandfoor		Control Box	Consen-1-4s-1 (Label) Soreen-1-4s-1 (Date Toreen-1-4s-1 (Date Toref1-go-1 (Date)	i-Boj oj
		a roject inspectors ⇒ port ⇒ Joses Program Properties ⇒ Joses Section ■ Workspect Sectiong > ⊕ RurKibelg > ⊕ Tasks > ⊕ Tasks		Java Bean     Jakel     Listel     List Box     List Box     List Box     List Box Checked     List Box Checked     List Box Dation     R Rado Button     Di Sonil Bar     Containen     Tool Bar     Dio State	Property Value Property Value w John Service fails editable from Interfer. Annue 23, 2017 et 132. Interfer. Annue 23, 2017 et 132. Participation 2018 et 132. Participation	
	C Text Working Storage 🖨 Link	(2) (Beil Not) for	A Cancel	Divesos		
	E Protiene Consele II d'Inen aCOROL	ch 🕼 Bashmarks 🔊 Tarkr 🖉 History 😲 Emorieg	14 gt 10 1 s			
					<ul> <li>Activate Windows</li> <li>Go to Settings to artivate</li> </ul>	

In the Export Screen Section dialog box expand the project and the program and select the screen that you want to export, then click Next,

Douchard III     Image: Constraint of the constraint of th	program 11	The Export Sensor Section	- 0 X.	* 0 * 0 Peter 0	St Outline 11	P ** 0
		Export Screen Section		Components co	v 👼 Toolbar list Screen -1 4b-1 (Tool-Bar v 🍎 Component list	8
	Check-Bas	Select screen sections w @ Text program Freet > @ Text2		Bar Browap Consta Box Consta Box Consta Entry Entry Faild Strame Goal	<ul> <li>covers-14-1 (ke)</li> <li>covers-14-1 (ke4)</li> <li>covers-14-1 (ke4)</li> <li>covers-14-1 (ke4)</li> <li>covers-14-1 (ke4)</li> <li>fert1-gs-1 (ke4)</li> </ul>	led
				Ann Bean     Kall Label     Containen     King Song Song Song Song Song Song Song So	Property Wee     vido     doixet: fails     edited from     edited from     edited from     lictics. Color:relations     rester.     rester.	18 ***
	K	(2) Click Next> Four	Canol	Tool Ber		
	A Problems Console 22 4 Sea aCOBOL	ak 🕼 Baakmants 🔊 Taile 🖉 Mintary 🐑 Brancing	14 B			
					Activate Windows Go to Settings to activate V	Windows.

Browse to the location and type the name of the .isl file that will be created, click save then click Finish.

Drochwell 22 Pfile (2) Data (2) Control	Despert 11	Se Equat Some Section		×	Peter D	Outline v Test	11 1	P 0
		The Save Au				×	screen-14b-1 (Tool-Bar)	
		+ + + † 🖹 + This PC + Docume	enta	v 6 Se	arch Documents	P	emponent lot = screen-1-br-1 (Bat)	
	Check-Bee	Copenia * New fulder Documents * New Potares * New Potares * New 1960 1960 1960 1960 00050-p Documents New Street Frie news: Test2 Save as type * fail	n Der	emodified Type anthypour meets	jjaz Ser	• •	a promen -1-6 -1 Guided a promen -1-6 -1 Guided a promen -1-6 -1 Guided a roman -1-6 -1 Guided a Text1-go-1 (Guid) x - 22 Walke a false 4 fine 4 fine 6 fine 6 fine 6 c Where/software.	
		n Hide Folders	tools Care		Save C	ancel	/Text3	
	Tatt Working Zampe G Left Problem Consult 22 Proto COROL	h 🕼 Bushmiels 2 Teilt 🖉 Mintary 😢 B	mertag	LOPICO		Actio	ate Windows	

Following, right click the target project, select Import,

erel 12 Geffer Globa " C pr C C C C C C C C ett programt	gent II	O Pulator     O	Outine ::: p v =     V Tothe int     v Tothe int     v p roman 1 dp 1 (Solidia)
New Ge Man Open in New Window Copen in New Window Copy Putte Copy Putte Move Reneme	Screen to be Imported	Series     Ber     Ber     Brows     Chack Bas     Chack Bas     Chack Bas     Chack Bas     Chack Bas     Chack Bas     Data Intery     Data Intery     Data Intery     Chack Bas     Ged	<ul> <li>Component late 1 (Ber)</li> <li>Consen-Tabe 1 (Ber)</li> <li>Consen-Tabe 1 (Berb)</li> <li>Consen-Tabe 1 (Berb)</li> <li>Consen-Tabe 1 (Berb)</li> <li>Text1-ge-1 (Berb)</li> </ul>
Import     Ex Equat     Equat     Enc.t     Close Project     Close Unveloted Projects		<ul> <li>Intelligent</li> <li>Intelligent</li> <li>Intelligent</li> <li>Intelligent</li> <li>Intelligent</li> <li>Intelligent</li> <li>Intelligent</li> <li>Intelligent</li> </ul>	Property 22 No. * * * * * * * * * * * * * * * * * * *
Rotare from Local History Consistency Check Find in Object		W Redo Button dili Scroll Ber Fili States	last mc June 23, 2017 et 12 linked Abe locatio CMJ/er/Insoftwon name Test2
<ul> <li>Change Current Mode</li> <li>Launch Edbie</li> </ul>	3	Tool Bur	path /Text2
Team Compare With Configure	, Wing Starspe ( ) Linkings Section () File Section () Next paragraph Consult 12 ( Parach () Bookmarks () Fails () History () Fair () >		
Properties (b) Remove from Context Coli+Alt+Shift	Onan		
			Activate Windows Go to Settings to activate Windows.

In the Import dialog window under isCOBOL, select Screen Section and click Next,

Checteral II      Constraints II      Constraints     Con	program 11	% Import Select	- o ×	O Palette     O     Componente     O     Selector	Outine :::     View Toolbar int	» c
	Check-Box	Select an import issues: bye filter tout Aculianch() Program from Project Aculianch() Financ() File (sport Aculianch() Financ() File Aculianch() Financ() File Aculianch() Financ() File Aculianch() Financ() File Aculianch() File Aculianch		Bar Bhomp Chack Box Canbo Box Data Entry Cambo Box Data Entry El Story Faid Effert	intern 1 de 1 (Ba) intern 1 de 1 (Ba)	dod 0
		CORCL File Liquid     CORCL Stress Program     CORCL Steel Program     CORCL Steel Program     CORCL Steel Program     Pr		Ann Bean     Kg Label     List Box     List Box Checked     Min Martin     K Radio Button     K Radio     K Rad	Properties 22     No.     Property: Value     w loto     dontect fails     edited: from 23, 2017 et 13_     linited: finite     locatio CMUser/sectionen     nome ret2     path: /Text2	
	e Text 📓 Working Storage 🖨 Link	() ()eit ()eit	Canol	Rèben		
	Consider II (Conside II (Conside II)	h 🕼 Bankmada 🔊 Take 🧳 Matay 🕑 Braning	1. <b>2</b> 91			

in the Import Screen Section window, expand the target project and select the target program, then browse to the location where you saved the .isl file and select it, then click finish.

E Structurel II Coffie Co Data	Despent 11				0	21 Outline 11 22 22 20 20
000189 *	Ø Screen	Sy Import Screen Section	- 0	×	5	v 🛄 Testi
v (p) Test → □ proprest v (c) Test		Import Screen Section			0	<ul> <li>✓ Toolber Nrt         <ul> <li>Toolber Nrt             <li>Screen-1 rb=1 (Tool-Ber)</li> <li>✓ Component Nrt         </li> </li></ul> </li> </ul>
✓ program     Program     Provent involution     Provent     Provent	Care	Select Destination-Project				tores-1-te-1 (Lebel)
	Check Dec	v (p) Text program1 v (p) Text2 program2			R: screen-1-ch-1 (Check-Bod) is screen-1-8b-1 & bit-Bod Tert1-gn-1 (bind)	
		From directory CND or / voot Documents		Brown		
	<	v (go Document)	ES Track		cied •	Properties 22 Properties 22 Properties 22 Property Write I be the second true and true true true true true true true true
	Frankress Conside 12 of Second Consideration (COBOL)		Scient All Devolut All		0 4	
		0	(lack Net > Each Co	encel	].	Activate Windows Go to Settings to activate Windows.

Press F5 refresh and you'll now have the imported screen in the target project.

Bouchard III in a loss      in	Despent Despent II	~ 0	21 Outine 11 2 7 ** 0
	Check bes	Component:     C	Determine the set of the set
	Tack Working Damage C Lankage Section C File Section C five transpose Problems C Consult 12 C Seath I Bookmarks S Take D History O First Lag accords		
	1000 - 10000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1		Activate Windows Ge to Settings to activate Windows.

Online URL: <u>https://support.veryant.com/phpkb/article.php?id=288</u>