How to improve the performance of your application by making your Tab-Control a container.

When the *allow-container* style is set, a tab control becomes a container control.

03 screen1-tc-1 tab-control tab-to-add ("Page1", "Page2") allow-container.

By making the tab control a container, you remove the need to manage the tab switch by intercepting the CMD-TABCHANGED event and updating the screen with the DISPLAY verb. The tab switch is automatically managed by the runtime Framework. This simplifies your coding and also reduces traffic in thin client and WebClient environments, which improves performance.

There are two ways to add controls to a Tab-Control with the Allow-Container style:

by using a Format 2 DISPLAY statement. E.g.

display scr-page-1 upon screen1-tc-1(1)

or

by setting the attributes TAB-GROUP and TAB-GROUP-VALUE on the screen entry. E.g.

```
03 scr-page-1 tab-group screen1-tc-1, tab-group-value 1.
05 entry-field
...
03 scr-page-2 tab-group screen1-tc-1, tab-group-value 2.
05 list-box
...
```

Example – Here's a tab-control with two pages with the allow-container style

SCREEN SECTION.

01 Mask. 03 Tb1-container tab-control line 2 col 2 lines 17 cells size 68 cells allow-container

03 tb1-container-page1

tab-group Tb1-container tab-group-value 1.

05 label

- line 4
- col 4
- title "This is the first page"

05 ef1-container entry-field

- line 6 col 4
- 03 tb1-container-page2

tab-group Tb1-container tab-group-value 2.

05 label

line4col4title"This is the second page"

05 cb1-container combo-box line 6

col 4.

```
PROCEDURE DIVISION. MAIN.
```

•••

display Mask

```
modify Tb1-container tab-to-add ("Page1", "Page2")
modify Cb1-container item-to-add ("item1", "item2")
```

```
. . .
```

```
perform until crt-status = 27
accept Mask
on exception
continue
end-accept
if crt-status = 2
...
end-if
lease
```

end-perform.

Online URL: <u>https://support.veryant.com/phpkb/article.php?id=350</u>